

**Supplementary Table 3.** Genetic diversity statistics for the rabbit populations inferred in BAPS.  $N$  = number of samples,  $N_A$  = number of alleles,  $H_o$  = observed heterozygosity,  $H_e$  = expected heterozygosity,  $F_{IS}$  = inbreeding coefficient.

		Sat3	Sat4	Sat5	Sat7	Sat8	Sat12	Sat13	Sat16	Sol33	Sol44
<b>K-BAL</b>											
$n= 14$	$N_A$	7	7	8	5	6	4	5	6	6	6
	$A_R$	4.64	4.84	5.33	4.64	3.96	3.19	3.89	4.29	3.62	4.82
	$H_o$	0.85	0.79	0.93	0.71	0.46	0.71	0.38	0.43	0.57	0.30
	$H_e$	0.73	0.79	0.79	0.79	0.62	0.61	0.70	0.72	0.58	0.73
	$F_{IS}$	-0.12	0.04	-0.13	0.14	0.29	-0.14	0.48	0.44	0.05	0.62
<b>K-NE</b>											
$n= 52$	$N_A$	12	12	15	10	8	8	8	6	8	9
	$A_R$	5.29	5.98	6.29	5.18	4.59	4.57	4.50	4.45	4.77	5.69
	$H_o$	0.83	0.65	0.81	0.76	0.73	0.80	0.83	0.57	0.78	0.81
	$H_e$	0.80	0.86	0.86	0.82	0.74	0.76	0.74	0.77	0.78	0.85
	$F_{IS}$	-0.03	0.25	0.06	0.08	<b>0.02</b>	-0.05	-0.12	0.28	0.00	0.06
<b>K-N</b>											
$n= 21$	$N_A$	8	10	8	6	8	6	4	7	7	7
	$A_R$	5.61	5.17	5.60	4.04	4.67	4.83	2.85	4.88	3.84	5.06
	$H_o$	0.65	0.80	0.95	0.57	0.90	0.85	0.47	0.53	0.60	0.70
	$H_e$	0.83	0.76	0.84	0.71	0.77	0.79	0.52	0.76	0.63	0.80
	$F_{IS}$	0.24	-0.03	-0.11	0.21	-0.15	-0.05	0.12	<b>0.33</b>	0.08	0.15
<b>K-CU</b>											
$n= 14$	$N_A$	4	15	12	6	7	3	6	6	5	4
	$A_R$	3.82	7.79	6.43	5.21	6.15	2.98	3.76	5.13	4.36	4.00
	$H_o$	0.67	1.00	0.86	0.63	0.67	0.67	0.50	0.57	0.43	0.60
	$H_e$	0.72	0.91	0.83	0.77	0.76	0.64	0.49	0.78	0.70	0.70
	$F_{IS}$	0.11	-0.06	0.00	0.26	0.22	0.02	0.03	0.33	0.46	<b>Table S</b>
<b>K-ZH</b>											
$n= 457$	$N_A$	20	34	29	15	26	11	16	15	23	sample
	$A_R$	6.91	6.85	6.94	6.09	7.37	3.86	5.50	5.50	6.35	inbreed
	$H_o$	0.61	0.74	0.77	0.79	0.74	0.65	0.77	0.54	0.59	<b>K-BAL</b>
	$H_e$	0.91	0.89	0.90	0.88	0.92	0.72	0.83	0.85	0.88	$n= 14$
	$F_{IS}$	<b>0.33</b>	<b>0.18</b>	<b>0.16</b>	<b>0.10</b>	<b>0.20</b>	<b>0.09</b>	<b>0.08</b>	<b>0.37</b>	<b>0.33</b>	
<b>K-S1</b>											
$n=206$	$N_A$	17	18	20	14	20	8	15	17	13	
	$A_R$	6.05	5.43	7.10	5.22	6.80	3.69	6.21	5.38	4.31	
	$H_o$	0.76	0.62	0.82	0.76	0.74	0.66	0.84	0.53	0.56	<b>K-NE</b>
	$H_e$	0.87	0.81	0.91	0.80	0.90	0.67	0.88	0.83	0.69	$n= 52$
	$F_{IS}$	<b>0.12</b>	<b>0.23</b>	0.10	<b>0.05</b>	<b>0.18</b>	0.03	0.04	<b>0.37</b>	<b>0.19</b>	

$F_{IS}$  values in bold represent significant deviations from Hardy-Weinberg equilibrium, after Bonferroni correction